Circumcision Devices





Circumcision Devices

Disposable Circumcision Anastomat

Production License Number: Lu FDA Production License 20130088

Medical Equipment Registration Number:


Lu Machinery Registration Approval 20172660238

The Registered Address: Qujiahe Industrial Park, Yangting Town,

Huancui District, Weihai City, Shandong Province, China

Medical Equipment Registration Number:

Lu Machinery Registration Approval 20162660238 Manufacture: Weihai Medison Medical Equipment Co., Ltd












Specifications	ProductComposition	Product Model (mm)
Adult	inner ring、auxiliary ring、screws、elastic rope	20, 22, 24, 26, 28, 30
Child	inner ring、auxiliary ring、elastic rope	11, 12, 13, 14, 15, 16, 17, 18, 18A, 19

Disposable Circumcision Anastomat Kit Medical Equipment Registration Number: Lu Machinery Registration Approval 20162660372

The Main Product: Disposable Circumcision Anastomat
The Attachment: Iodophor Cotton Swab; Self-adhesive
Elastic Bandage and Protective Wound Dressing
Quantity: Disposable Circumcision Anastomat 1pc
Iodophor Cotton Swab 10pcs
Self-adhesive Elastic Bandage 1 roll
Protective Wound Dressing 5pcs



Circumcision Devices (Simple Packing) Medical Equipment Registration Number: Lu Machinery Registration Approval 20172660238





■ Product Features:



The whole operation is simple, safe and painless. The operation only lasts 3-5 min -utes, with no surgery and suture free, the patients can get rapid recovery, and does not affect the work and life after operation;



The redundant prepuce and phimosis will easily fall off without scar and get reshaped and beautified;



The "circumcision ring" promotes penis to erect frequently and constantly expand at night, in which the cell and tissue of penis is activated, resulting in secondary growth;



After circumcision, epidermal keratiniza -tion of glans is caused, which helps des -ensitization, thus enhancing the sexual function:



It can prevent male urethritis, inflammation of glans and canceration; and meanwhile avoid cross-infection and gynecological



The circumcision ring can reduce more than 60% infection chance of HIV, playing a certain role in preventing the spread of HIV. The circumcision ring, with advanced technologies and outstanding advantages, can help male friends of all ages to "cut away" their secret sorrow.

Application

Phomisis and redundant prepuce

■ Contraindication:

Acute urinary tract infection; concealed penis; redundant patient with short tie; nervous system disease or mental system disease; leukemia and patient with history of haemorrhagic disease; hypertension, cardiac; STD patient; disbetic.